

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((nonvolatile or non-volatile) and perpendicular\$2 and ((variable near2 resist\$4) same electrode\$1 same substrate\$1)). cfm.	US-PGPUB	OR	OFF	2008/03/20 08:51
L2	0	((nonvolatile or non-volatile) with resist\$4) same electrode\$1 same perpendicular\$2 same substrate\$1). cfm.	US-PGPUB	OR	OFF	2008/03/20 08:51
L3	0	((nonvolatile or non-volatile) near2 resist\$4 near2 variable) and substrate\$1 and perpendicular\$2). cfm.	US-PGPUB	OR	OFF	2008/03/20 08:51
L4	0	((nonvolatile or non-volatile) with resist\$4 with variable) same perpendicular\$2 same substrate\$1). cfm.	US-PGPUB	OR	OFF	2008/03/20 08:51
L5	1	((nonvolatile or non-volatile) same variable same resist\$4 same electrode\$1 same perpendicular\$2 same substrate\$1). cfm.	US-PGPUB	OR	OFF	2008/03/20 08:52

L6	1	((nonvolatile or non-volatile) same (variable near2 resist\$4) same electrode\$1 same perpendicular\$2 same substrate\$1). cdm.	US-PGPUB	OR	OFF	2008/03/20 08:52
----	---	---	----------	----	-----	------------------

3/ 20/ 08 8:52:33 AM

C:\Documents and Settings\DLam\My Documents\EAST\Workspaces\default
east_1.wsp